

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12	2	((("5669040") or ("7084997")).PN.	US-PGPUB; USPAT	OR	OFF	2009/04/02 11:40
S13	1	10/449482	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 12:36
S14	49	((display\$4 show\$4) with (list with (user client customer))) same ((log\$4 use using access\$4) near2 device) same (history audit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 13:36
S15	14	((display\$4 show\$4) with (list with (user client customer))) same ((log\$4 use using access\$4) near2 device) same (history audit) and @ad< "20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 13:37
S16	7	((display\$4 show\$4) with (list with (user client customer))) same ((log\$4 use using access\$4) near2 device) same (history audit) and (type anonymous guest) and @ad< "20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 13:37
S17	101	(login with (device appratus peripheral)) and ((hold\$4 stor\$4 record\$4) same (determin\$4 check \$4 decid\$4) with (login with (history data information))) and @ad< "20040228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 13:48

S18	3	(login with (device apparatus peripheral)) same ((hold\$4 stor\$4 record\$4) same((type anonymous guest)) same (determin\$4 check \$4 decid\$4) with (login with (history data information))) and @ad< "20040228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 13:49
S19	63	(login with (device apparatus peripheral)) same ((hold\$4 stor\$4 record\$4) same((type anonymous guest)) same (login with (history data information))) and @ad< "20040228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 13:51
S20	11	((display\$4 show\$4 list\$4) with ((login user) near5 (identification id name password))) same ((storing holding) with (login adj2 (information data history)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:16
S21	11	((display\$4 show\$4 list\$4) with ((login user) near5 (identification id name password))) same ((storing holding) with (login adj2 (information data history))) and ad< "20040220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:17
S23	9	((login user) near5 (identification id name password))) same ((stor\$4 record\$4 hold\$4) with (login adj2 (history))) and ad< "20040220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:25
S24	1	((identification id name password))) same (login with (screen interface)) same ((stor\$4 record\$4 hold\$4) with (login adj2 (history))) and ad< "20040220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:31
S25	3	(login with (screen interface)) same ((stor\$4 record\$4 hold\$4) with (login adj2 (history))) and ad< "20040220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:32

S26	6	((login with (screen interface display)) same ((stor\$4 record\$4 hold\$4) with (login adj2 (history))) and ad<"20040220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:34
S27	1	("6631442").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/03 12:07
S28	1	("6161139").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/03 13:02
S31	3	((user client) adj2 (type)) same (login) same (shared with (device appratus computer printer scanner copier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:25
S32	1	((user client) adj2 (type)) same (login near2 history) same (display\$4 interfac\$4 show\$4) and (device appratus computer printer scanner copier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:27
S33	1	((user client) adj2 (type)) same (login near2 history) same (display\$4 interfac\$4 show\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:27
S34	1	((user client) adj2 (type guest annonymous)) same (login near2 history) same (display\$4 interfac\$4 show\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:27
S35	1	((user client) adj2 (type guest annonymous)) same (login near2 history) and (display\$4 interfac\$4 show\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:28
S36	1	((user client) adj2 (type guest annonymous)) same (login near2 history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:28

S37	32	((user client) adj2 (type guest anonymous)) and (login near2 history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:28
S38	8	((user client) adj2 (type guest anonymous)) and ((login near2 history) same (display\$4 interfac \$4 show\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 13:28
S39	7	(peripheral printer copier fax device apparatus) with ((login near2 history) same (display\$4 interfac \$4 show\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 14:20
S40	2	((("5684957") or ("7216292")).PN.	US-PGPUB; USPAT	OR	OFF	2009/04/03 17:49
S41	1	("6667751").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 07:15
S42	1	("5991735").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 07:32
S43	1	("5684957").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 07:35
S45	7	(determin\$4 check\$4 verif \$7 validat\$4) with ((user client) adj2 (type)) same ((entered typed provided) near2 (identification id password)) same (login)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 08:24
S46	12	(determin\$4 check\$4 verif \$7 validat\$4) with ((user client) adj2 (type level)) same ((entered typed provided) near2 (identification id password)) same (login)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 08:42
S47	1	("5666502").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 08:44
S51	1	("20040015702").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 09:05
S52	1	("6377548").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 09:08

S62	18	(determin\$4 check\$4 verif \$7 validat\$4) with ((user client) adj2 (type level role)) same (login) and "726"/.ccls. and @ad<"20040220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 09:13
S63	17	(determin\$4 check\$4 verif \$7 validat\$4) with ((user client) adj2 (type level role)) same (login) and "726"/.ccls. and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 09:15
S64	36	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type level role)) same (login) and "726"/. ccls. and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 09:39
S65	1	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type level role)) same (login) and (frequent with user) and "726"/.ccls. and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 09:40
S66	4	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type level role)) same (login) and (guest anonymous) and "726"/. ccls. and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 09:44
S67	21	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type level role)) same (login) and (guest anonymous) and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:03
S68	68	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type level role)) same (login) and (frequency guest anonymous) and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:21

S69	2	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type level role)) same (login) same (frequency guest anonymous) and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:21
S70	73	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type)) same (login) and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:31
S71	23	(determin\$4 check\$4 verif \$7 validat\$4 authenticat \$4) with ((user client) adj2 (type)) same (login) and (frequency guest anonymous) and @ad<"20030220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 10:31
S72	1	("5905653").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 10:49
S73	10	canon.as. and (login with (device appratus peripheral)) and (user adj2 type) and @ad<"20040228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 11:27
S74	309	(login with (device appratus peripheral)) and (user adj2 type) and @ad<"20040228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 11:30
S75	14	(login with (device appratus peripheral)) same (user adj2 type) and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 11:30
S76	2	(login with (name identification passowrd id)) same ((frequent anonymous guest) and type) and (history with stor\$4) and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 11:35

S80	1	(determin\$4 check\$4 verif \$7 validat\$4) with ((type)) same ((entered typed provided) near2 (login near2 (identification id password))) and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 11:50
S81	90	(determin\$4 check\$4 verif \$7 validat\$4) with ((type)) same ((login near2 (identification name id password))) and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 11:51
S82	44	(determin\$4 check\$4 verif \$7 validat\$4) with ((type)) same ((login near2 (identification name id password))) and (history audit) and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 11:52
S83	1	("20030154171").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/08 12:12

4/ 8/ 09 2:01:20 PM

C:\ Documents and Settings\ sgelayag\ My Documents\ EAST\ Workspaces\ 10781638.wsp